





#### Exercise 5.1

1. What is the disadvantage in comparing line segments by mere observation?

Ans: There may be chance of error due to improper viewing.

2. Why is it better to use a divider than a ruler, while measuring the length of a line segment?

**Ans**: It is better to use a divider than a ruler, because the thickness of the ruler may cause difficulties in reading off her length. However divider gives up accurate measurement.

3. Draw any line segment, say AB. Take any point C lying in between A and B. Measure the lengths of AB, BC and AC. Is AB = AC + CB?

[Note: If A, B, C are any three points on a line, such that AC + CB = AB, then we can be sure that C lies between A and B.]

Ans: Yes.

$$A^{\bullet}$$
  $C^{\bullet}$   $B$ 


AB = 6.5 cm, AC = 3 cm, CB = 3.5 cm

$$AC + CB = 3 \text{ cm} + 3.5 \text{ cm} = 6.5 \text{ cm} = AB$$

4. If A, B, C are three points on a line such that AB = 5 cm, BC = 3 cm and AC = 8 cm, which one of them lies between the other two?

**Ans**:  $\overline{AC}$  is the longest line segment, thus B is the point between A and C.

5. Verify whether D is the mid-point of  $\overline{AG}$ .



Ans: AD = 3 units, DG = 3 units

$$AD = DG$$
.

Thus, D is the mid-point.



Intelligent Interesting Innovative Learning

6. If B is the mid-point of  $\overline{AC}$  and C is the mid-point of  $\overline{BD}$ , where A, B, C, D lie on a straight line, say why AB = CD?

**Ans:** B is the mid-point of AC.

$$\therefore$$
 AB = BC .....(i)


And C is the mid-point of BD.


From eq. (i) and (ii),


$$AB = CD$$


7. Draw five triangles and measure their sides. Check in each case, if the sum of the lengths of any two sides is always less than the third side.


Ans: Yes, sum of two sides of a triangle is always greater than the third side.













# Class VI Mathematics Chapter-5 Understanding Elementary Shapes



#### Exercise 5.2

1. What fraction of a clockwise revolution does the hour hand of a clock turn through, when it goes from

(a) 3 to 9

 $\frac{1}{2}$  or two right angles

(b) 4 to 7

 $\frac{1}{4}$  or one right angle

(c) 7 to 10

 $\frac{1}{4}$  or one right angle

(d) 12 to 9

 $\frac{3}{4}$  or three right angles.

(e) 1 to 10

 $\frac{3}{4}$  or three right angles.

(f) 6 to 3

 $\frac{3}{4}$  or three right angles.

2. Where will the hand of a clock stop if it:

(a) Starts at 12 and make  $\frac{1}{2}$  of a revolution, clockwise?

Ans: At 6

(b) Starts at 2 and makes  $\frac{1}{2}$  of a revolution, clockwise?

Ans: At 8

(c) Starts at 5 and makes  $\frac{1}{4}$  of a revolution, clockwise?

Ans: At 8

(d) Starts at 5 and makes  $\frac{3}{4}$  of a revolution, clockwise?

Ans: At 2



## 3. Which direction will you face if you start facing:

(a) East and make  $\frac{1}{2}$  of a revolution clockwise?

Ans: West

(b) East and make  $1\frac{1}{2}$  of a revolution clockwise?

Ans: West

(c) West and makes  $\frac{3}{4}$  of a revolution, clockwise?

Ans: South

(d) South and make one full revolution?


(Should we specify clockwise or anti-clockwise for this last question? Why not?)

**Ans: South** 

(For answer (d), it is immaterial whether we turn clockwise or anticlockwise, because one full revolution will bring us back to the original position)

Intelligent Interesting Innovative

Learning



(a) East and turn clockwise to face north?

**Ans**:  $\frac{3}{4}$ 

(b) South and turn clockwise to face east?

Ans:  $\frac{3}{4}$ 

(c) West and turn clockwise to face east?

Ans:  $\frac{1}{2}$ 

# 5. Find the number of right angles turned through by the hour hand of a clock when it goes from:

(a) 3 to 6

**Ans:** One right angle

(b) 2 to 8

**Ans:** Two right angles

(c) 5 to 11

**Ans:** Two right angles

(d) 10 to 1

**Ans:** One right angle

(e) 12 to 9

**Ans:** Three right angles

(f) 12 to 6

**Ans:** Two right angles



## 6. How many right angles do you make if you start facing:



(a) South and turn clockwise to west?

Ans: One right angle.

(b) North and turn anti-clockwise to east?

**Ans**: Three right angles.

(c) West and turn to west?

**Ans**: Four right angles.

(d) South and turn to north?

**Ans**: Two right angles.

## 7. Where will the hour hand of a clock stop if it starts:

(a) From 6 and turns through 1 right angle?

Ans: At 9

(b) From 8 and turns through 2 right angles?

Ans: At 2

(c) From 10 and turns through 3 right angles?

Ans: At 7

(d) From 7 and turns through 2 straight angles?

Ans: At 7





# Class VI Mathematics Chapter-5 Understanding Elementary Shapes

#### Exercise 5.3

## 1. Match the following:

- (i) Straight angle
- (ii) Right angle
- (iii) Acute angle
- (iv) Obtuse angle
- (v) Reflex angle


- (a) Less than one-fourth a revolution
- (b) More than half a revolution
- (c) Half of a revolution
- (d) One-fourth a revolution
- (e) Between  $\frac{1}{4}$  and  $\frac{1}{2}$  of a revolution
- (f) One complete revolution


Ans:


- (i) Straight angle
- (ii) Right angle
- (iii) Acute angle
- (iv) Obtuse angle
- (v) Reflex angle

- (c) Half of a revolution
- (d) One-fourth a revolution
- (a) Less than one-fourth a revolution
- (e) Between  $\frac{1}{4}$  and  $\frac{1}{2}$  of a revolution
- (b) More than half a revolution

# 2. Classify each one of the following angles as right, straight, acute, obtuse or reflex:













- Ans: (a) Acute angle
- (b) Obtuse angle
- (c) Right angle
- (d) Reflex angle
- (e) Straight angle
- (f) Acute angle








#### Exercise 5.4

#### 1. What is the measure of


(i) A right angle?

**Ans**: 90°



(ii) A straight angle?

Ans: 180°



### 2. Say True or False:

(a) The measure of an acute angle  $< 90^{\circ}$ .

Ans: True

(b) The measure of an obtuse angle  $< 90^{\circ}$ .

Ans: False

(c) The measure of a reflex angle  $> 180^{\circ}$ .

Ans: True

(d) The measure of one complete revolution= 360°.

Ans: True

(e) If  $m \angle A = 53^{\circ}$  and  $m \angle B = 35^{\circ}$ , then  $m \angle A > m \angle B$ .

Ans: True

# 3. Write down the measure of: (give at least two examples of each)

(a) Some acute angles

**Ans**: 35°, 20°


(b) Some obtuse angles

**Ans**: 110°, 135°





4. Measure the angles given below, using the protractor and write down the measure:



**Ans**: (a) 40°

(b)130°


(c) 90°

(d) 60°

5. Which angle has a larger measure? First estimate and then measure:

Measure of angle A =


Measure of angle B =



**Ans**: ∠B has larger measure.

$$\angle A = 40^{\circ}$$
 and  $\angle B = 65^{\circ}$ 

6. From these two angles which has larger measure? Estimate and then confirm by measuring them:




**Ans**: Second angle has larger measure.





## 7. Fill in the blanks with acute, obtuse, right or straight:

- (a) An angle whose measure is less than that of a right angle is acute angle.
- (b) An angle whose measure is greater than that of a right angle is obtuse angle.
- (c) An angle whose measure is the sum of the measures of two right angles is straight angle.
- (d) When the sum of the measures of two angles is that of a right angle, then each one of them is acute angle.
- (e) When the sum of the measures of two angles is that of a straight angle and if one of them is acute then the other should be obtuse angle.
- 8. Find the measure of the angle shown in each figure. (First estimate with your eyes and then find the actual measure with a protractor).




Ans: (i) 30°

(ii) 120°


(iii) 60°

(iv)150°


9. Find the angle measure between the hands of the clock in each figure:



9.00 a.m.



1.00 p.m.



6.00 p.m.

**Ans**: (i) 90° (Right angle) (ii) 30° (Acute angle)

(iii) 180° (Straight angle)




### 10. Investigate:

In the given figure, the angle measure  $30^\circ$ . Look at the same figure through a magnifying glass. Does the angle becomes larger? Does the size of the angle change?


Intelligent Interesting Innovative

Learning



**Ans**: No, the measure of angle will be same.

# 11. Measure and classify each angle:



#### Ans:

Angle	∠AOB	∠AOC	∠BOC	∠DOC	∠DOA	∠DOB
Measure	40°	130°	90°	90°	140°	180°
Type	Acute	Obtuse	Right	Right	Obtuse	Straight



# Class VI Mathematics Chapter-5 Understanding Elementary Shapes



#### Exercise 5.5

1. Which of the following are models for perpendicular lines:

(a) The adjacent edges of a table top.

**Ans**: Perpendicular

(b) The lines of a railway track.

Ans: Not Perpendicular

(c) The line segments forming the letter 'L'.


**Ans**: Perpendicular

(d) The letter V.

Ans: Not Perpendicular

2. Let  $\overline{PQ}$  be the perpendicular to the line segment  $\overline{XY}$ . Let PQ and XY intersect in the point A. What is the measure of  $\angle$  PAY.

Ans:



 $\angle PAY = 90^{\circ}$ 

3. There are two "set-squares" in your box. What are the measures of the angles that are formed at their corners? Do they have any angle measure that is common?

**Ans**: One set-square has 45°, 90°, 45° and other set-square has 60°, 90°. 30°. They have 90° as common angle.



Intelligent Interesting Innovative 4. Study the diagram. The line l is perpendicular to line m. Learning



(a) Is 
$$CE = EG$$
?

Ans: Yes, both measure 2 units.

(b) Does PE bisect CG? **Ans**: Yes, because CE = EG

(c) Identify any two line segments for which PE is the perpendicular bisector.

Ans: DF and CG, BH

- (d) Are these true?
- (i) AC > FGTrue (ii) CD = GHTrue (iii) BC < EH True







#### Exercise 5.6

### 1. Name the types of following triangles:

(a) Triangle with lengths of sides 7 cm, 8 cm and 9 cm.

Ans: Scalene triangle

(b)  $\triangle$  ABC with AB = 8.7 cm, AC = 7 cm and BC = 6 cm.

Ans: Scalene triangle

(c)  $\triangle$  PQR such that PQ = QR = PR = 5 cm.

Ans: Equilateral triangle

(d)  $\triangle$  DEF with  $m \angle D = 90^{\circ}$ 

**Ans**: Right-angled triangle

(e)  $\triangle$  XYZ with  $m \angle Y = 90^{\circ}$  and XY = YZ

Ans: Isosceles right-angled triangle

(f)  $\triangle$  LMN with  $m \angle L = 30^{\circ}, m \angle M = 70^{\circ}$  and  $m \angle N = 80^{\circ}$ .

**Ans**: Acute-angled triangle

## 2. Match the following:

#### Measure of Triangle

- (i) 3 sides of equal length
- (ii) 2 sides of equal length
- (iii) All sides are of different length
- (iv) 3 acute angles
- (v) 1 right angle
- (vi) 1 obtuse angle
- (vii) 1 right angle with two sides of equal length

- (a) Scalene
- (b) Isosceles right angle

**Types of Triangle** 


- (c) Obtuse angle
- (d) Right angle
- (e) Equilateral
- (f) Acute angle
- (g) Isosceles



Intelligent Interesting Innovative Learning

#### Ans:


- (i) 3 sides of equal length (e) Equilateral
- (ii) 2 sides of equal length (g) Isosceles
- (iii) All sides are of different length (a) Scalene
- (iv) 3 acute angles (f) Acute angle
- (v) 1 right angle (d) Right angle
- (vi) 1 obtuse angle (c) Obtuse angle
- (vii) 1 right angle with two sides of equal (b) Isosceles right angle length
- 3. Name each of the following triangles in two different ways: (You may judge the nature of angle by observation)






**Ans**: (a) Acute angled triangle and Isosceles triangle

- (b) Right-angled triangle and Scalene triangle
- (c) Obtuse-angled triangle and Isosceles triangle
- (d) Right-angled triangle and Isosceles triangle
- (e) Equilateral triangle and acute angled triangle
- (f) Obtuse-angled triangle and scalene triangle



If you cannot make a triangle, think of reasons for it.




Intelligent Interesting Innovative

Learning

Can you make a triangle with:

#### (a) 3 matchsticks?

**Ans:** This is an acute angle triangle and it is possible with 3 matchsticks to make a triangle because sum of two sides is greater than third side.



#### (b) 4 matchsticks?

**Ans:** This is a square, hence with four matchsticks we cannot make triangle.







# (c) 5 matchsticks?




**Ans:** This is an acute angle triangle and it is possible to make triangle with five matchsticks, in this case sum of two sides is greater than third side.





# (d) 6 matchsticks?

**Ans**: This is an acute angle triangle and it is possible to make a triangle with the help of 6 matchsticks because sum of two sides is greater than third side.





# Class VI Mathematics Chapter-5 Understanding Elementary Shapes



#### Exercise 5.7

#### 1. Say true or false:

(a) Each angle of a rectangle is a right angle.

Ans: True

(b) The opposite sides of a rectangle are equal in length.

Ans: True

(c) The diagonals of a square are perpendicular to one another.

Ans: True

(d) All the sides of a rhombus are of equal length.

Ans: True

(e) All the sides of a parallelogram are of equal length.

Ans: False

(f) The opposite sides of a trapezium are parallel.

Ans: False

#### 2. Give reasons for the following:

(a) A square can be thought of as a special rectangle.

**Ans**: Because all its angles are right angle and opposite sides are equal.

(b) A rectangle can be thought of as a special parallelogram.

**Ans**: Because its opposite sides are equal and parallel.

(c) A square can be thought of as a special rhombus.

**Ans**: Because its four sides are equal and diagonals are perpendicular to each other.

(d) Squares, rectangles, parallelograms are all quadrilateral.

Ans: Because all of them have four sides.

(e) Square is also a parallelogram.

**Ans**: Because its opposite sides are equal and parallel.

3. A figure is said to be regular if its sides are equal in length and angles are equal in measure. Can you identify the regular quadrilateral?

Ans: A square is a regular quadrilateral.




# **Class VI Mathematics**





## **Chapter-5 Understanding Elementary Shapes**


#### Exercise 5.8

1. Examine whether the following are polygons. If anyone among these is not, say why?











Ans:

- (a) As it is not a closed figure, therefore, it is not a polygon.
- (b) It is a polygon because it is closed by line segments.
- (c) It is not a polygon because it is not made by line segments.
- (d) It is not a polygon because it not made only by line segments, it has curved surface also.


## 2. Name each polygon:



(b)



(c)



(d)

Ans: (a) Quadrilateral

(b) Triangle

(c) Pentagon


(d) Octagon






3. Draw a rough sketch of a regular hexagon. Connecting any three of its vertices, draw a triangle. Identify the type of the triangle you have drawn.

**Ans**: ABCDEF is a regular hexagon and triangle thus formed by joining AEF is an isosceles triangle.




4. Draw a rough sketch of a regular octagon. (Use squared paper if you wish). Draw a rectangle by joining exactly four of the vertices of the octagon.

**Ans:** ABCDEFGH is a regular octagon and CDGH is a rectangle.



5. A diagonal is a line segment that joins any two vertices of the polygon and is not a side of the polygon. Draw a rough sketch of a pentagon and draw its diagonals.

**Ans**: ABCDE is the required pentagon and its diagonals are AD, AC, BE and BD.









### Exercise 5.9

# 1. Match the following:

(a) Cone

(i)

(b) Sphere

(ii)



(c) Cylinder

(iii)



(d) Cuboid

(iv)



(e) Pyramid

(v)





Ans:



(a) Cone

(ii)



(b) Sphere

(iv)




(c) Cylinder

**(v)** 



(d) Cuboid

(iii)



(e) Pyramid

(i)

# 2. Give two example of each shape. What shape is:

(a) Your instrument box?

Ans: Cuboid

(b) A brick?

Ans: Cuboid

(c) A match box?

Ans: Cuboid

(d) A road-roller?

Ans: Cylinder

(e) A sweet laddu?

**Ans**: Sphere